



IMM.M.M.



N

Ниппель водоочистных рукавов

**N
O**



IMM Hy press
IMM Group

Прессуемый ниппель Waterblast / Waterblast tail

Страница / Page		2	2
<p>Ferrule Воскола</p>			
	<p>00S4 4 Spiral Waterblast</p>	<p>00S6 6 Spiral Waterblast</p>	
	Страница / Page		3
<p>BSP Female</p>			
	<p>0050W Ниппель BSP конус 60° BSP Female 60° cone Thrust Wire</p>	<p>0350W Штуцер BSP конус 60° BSP Male Parallel 60° cone</p>	
	Страница / Page		4
<p>NPTF Male</p>			
	<p>0370W Штуцер NPTF конус 60° NPTF Male 60° cone</p>	<p>0084W Ниппель метрический, конус 24°, S Metric Female 24° Seat Heavy</p>	


Dimensions and general characteristics may be changed at any time without prior notice.

Data contained herein are for information purpose only, and it does not enlarge, amend or imply any warranty other than provided by us with the product
Any use of the product not in conformance with our instructions may be dangerous.

00S4 Муфта обжимная (зачистная)

Swaged Ferrule (skive)

для рукава / for hose:
4 Spiral - Waterblast




part number	hose I.D.		Dimension			skive	
	in	mm	D	L	d	length	valid for
00S4-06	3/8	9,5	28,0	45,5	20,0	30/14	4 spiral
00S4-08	1/2	12,7	33,0	50,3	24,0	33/12	4 spiral
00S4-12	3/4	19	41,0	56,0	32,0	42/15	4 spiral

СНАРУЖИ/ВНУТРИ

00S6 Муфта обжимная (зачистная)


Swaged Ferrule (skive)

для рукава / for hose:
6 Spiral - Waterblast




part number	hose I.D.		Dimension			skive	
	in	mm	D	L	d	length	valid for
00S6-06	3/8	9,5	30,0	45,5	22,0	30/14	6 spiral
00S6-08	1/2	12,7	36,0	50,3	27,0	33/12	6 spiral
00S6-12	3/4	19	44,0	56,0	35,0	42/15	6 spiral
00S6-16	1	25,4	55,0	67,2	43,7	47/18	6 spiral


СНАРУЖИ/ВНУТРИ

0050W Ниппель BSP конус 60°
(DKR) BSP Female 60° cone Thrust Wire



part number	hose I.D.		Dimension			
	in	mm	dash size	thread	hex	cut-off
0050W08-08	1/2	12,7	08	1/2-14	30	32
0050W12-12	3/4	19	12	3/4-14	32	37
0050W16-16	1	25,4	16	1-11	38	40

0350W Штуцер BSP конус 60°
(AGR) BSP Male Parallel 60° cone


part number	hose I.D.		Dimension			
	in	mm	dash size	thread	hex	cut-off
0350W08-08	1/2	12,7	08	1/2-14	27	36
0350W12-12	3/4	19	12	3/4-14	32	39
0350W16-16	1	25,4	16	1-11	41	44

0370W Штуцер NPTF конус 60°
(AGN) NPTF Male 60° cone


part number	hose I.D.		Dimension			
	in	mm	dash size	thread T	hex E	cut-off C
0370W06-06	3/8	9,5	06	3/8-18	19	30
0370W08-08	1/2	12,7	08	1/2-14	22	38
0370W12-12	3/4	19	12	3/4-14	27	41
0370W16-16	1	25,4	16	1-11.1/2	48	44

0084W Ниппель метрический, конус 24°, S
(DKOS) Metric Female 24° Seat Heavy


part number	hose I.D.		Dimension				
	in	mm	dash size	thread T	erm.	hex E	cut-off C
0084W06-20	3/8	9,5	06	M20-1.5	12	24	29
0084W06-22	3/8	9,5	06	M22-1.5	14	27	31
0084W06-24	3/8	9,5	08	M24-1.5	16	30	33
0084W08-24	1/2	12,7	08	M24-1.5	16	30	33
0084W12-36	3/4	19	12	M36-2	25	46	43